




COMPRESSED AIR CATALOGUE 2026



Ing A.F. Baeder Ges.m.b.H.

📍 Kolpingstraße 13, 1230 Vienna

☎ +43 (0)1 865 16 40

✉ sales@baeder-automotive.com

🌐 www.baeder-automotive.com




JANUARY







STEEL AIR TANKS	01
STEEL AIR TANK WITH HOLDER	02
TOWING VEHICLE-SPECIFIC STEEL-AIR TANKS	03
TRAILER-SPECIFIC STEEL-AIR TANKS	04
ALUMINIUM AIR TANKS	05
TENSION STRAPS FOR AIR TANKS	06
COUPLING HEADS & AIR SPIRALS	07
PA12 PLASTIC PIPES	08
FITTING SYSTEM WIRA	10
RELEASABLE FITTING SYSTEM CAMOZZI	12
RELEASABLE FITTING SYSTEM SIRIT	14
CONTROL COMPONENTS	16
FITTINGS FOR CONTROL SYSTEMS	18




EN 286/2

Item no.	Description	Dimensions	max. operating pressure	Weight	Number of M22x1,5 connections
1/102	Air tank 1l	102 x 170 mm	15,5 bar	1,1 kg	4
8,5/206	Air tank 8,5l	206 x 315 mm	15,5 bar	4,5 kg	4
10/206	Air tank 10l	206 x 368 mm	15,5 bar	5,03 kg	4
15/206K	Air tank 15l	206 x 520 mm	10,0 bar	6,8 kg	4
15/246	Air tank 15l	246 x 380 mm	15,5 bar	6,32 kg	4
18/276	Air tank 18l	276 x 375 mm	15,5 bar	7,21 kg	4
20/206	Air tank 20l	206 x 685 mm	15,5 bar	8,28 kg	4
20/246	Air tank 20l	246 x 500 mm	15,5 bar	7,67 kg	4
20/276	Air tank 20l	276 x 402 mm	15,5 bar	7,13 kg	4
25/246	Air tank 25l	246 x 610 mm	15,5 bar	9,72 kg	4
30/246	Air tank 30l	246 x 709 mm	15,5 bar	10,5 kg	4
30/276	Air tank 30l	276 x 585 mm	15,5 bar	10,48 kg	4
37/246	Air tank 37l	246 x 864 mm	15,5 bar	11,5 kg	4
40/246	Air tank 40l	246 x 922 mm	15,5 bar	13,3 kg	4
40/276	Air tank 40l	276 x 760 mm	15,5 bar	13,46 kg	4
40/310	Air tank 40l	310 x 620 mm	12,5 bar	11,0 kg	4
60/276	Air tank 60l	276 x 1100 mm	12,5 bar	16,65 kg	4
60/310	Air tank 60l	310 x 891 mm	12,5 bar	16,05 kg	4
60/396	Air tank 60l	396 x 563 mm	10,0 bar	17,8 kg	4
80/310	Air tank 80l	310 x 1157 mm	12,5 bar	20,12 kg	4
80/396	Air tank 80l	396 x 750 mm	10,0 bar	22,0 kg	4
100/396	Air tank 100l	396 x 915 mm	10,0 bar	25,0 kg	4



EN 286/2



Illustration	Item no.	Description	Dimensions	max. operating pressure	Weight	OE reference
	05/154H	Air tank 5l with holder	154 x 345 mm	15,5bar	3,87 kg	/
	20/246H250	Air tank 20l with holder	246 x 503 mm	15,5 bar	8,7 kg	208 315
	30/246H250	Air tank 30l with holder	246 x 705 mm	15,5 bar	11,3 kg	208 316
	40/276H250	Air tank 40l with holder	276 x 758 mm	15,5 bar	13,4 kg	208 313
	60/310H250	Air tank 60l with holder	310 x 893 mm	12,5 bar	17,5 kg	208 310
	60/396H250	Air tank 60l with holder	396 x 565 mm	12,5 bar	16,6 kg	/
	80/396H250	Air tank 80l with holder	396 x 750 mm	10,0 bar	20,1 kg	208 309
	100/396H250	Air tank 100l with holder	396 x 895 mm	10,0 bar	23,3 kg	208 403






TOWING VEHICLE-SPECIFIC STEEL-AIR TANKS



EN 286/2

Illustration	Item no.	Description	Dimensions	max. operating pressure	Weight	OE reference	Vehicle
	4/144MB	Air tank 4l	144 x 320 mm	15,5 bar	2,9 kg	A 006 432 3401 A 005 432 3001 A 005 432 1001	Mercedes
	5,4/144MB	Air tank 5,4l	144 x 411 mm	15,5 bar	3,5 kg	A 006 432 3501 A 005 432 3101 A 005 432 1101	Mercedes
	7,5/246MB	Air tank 7,5l	246 x 228 mm	15,5 bar	4,2 kg	A 006 432 4001 A 005 432 3201 A 005 432 1401	Mercedes
	10/206MB	Air tank 10l	206 x 366 mm	15,5 bar	4,9kg	A 006 432 3701 A 005 432 3301 A 007 432 4101	Mercedes
	20/206MB	Air tank 20l	206 x 677 mm	15,5 bar	8,5 kg	A 006 432 3801 A 005 432 4201 A 007 432 5001	Mercedes
	20/246MB	Air tank 20l	246 x 497 mm	15,5 bar	7,6 kg	A 006 432 4301 A 007 432 4201 A 007 432 4201	Mercedes
	25/246MB	Air tank 25l	246 x 605 mm	15,5 bar	9,0 kg	A 006 432 4401 A 005 432 3801 A 007 432 5401	Mercedes
	25/276MB	Air tank 25l	276 x 495 mm	15,5 bar	8,5 kg	A 006 432 5301 A 005 432 2601 A 007 432 4501	Mercedes
	30/276MB	Air tank 30l	276 x 585 mm	15,5 bar	9,8 kg	A 006 432 5401 A 005 432 2201 A 007 432 4601	Mercedes
	35/276MB	Air tank 35l	276 x 663 mm	15,5 bar	10,9 kg	A 006 432 5601 A 005 432 2701 A 007 432 4801	Mercedes
	45/276MB	Air tank 45l	276 x 844 mm	15,5 bar	15,8 kg	A 006 432 5801 A 005 432 2801 A 005 432 2801	Mercedes
	30/310MAN1	Air tank 30l	310 x 462 mm	12,5 bar	6,8 kg	81.51401.0180 81.51401.0239 81.51401.6015	MAN
	40/310MAN1	Air tank 40l	310 x 568 mm	14,5 bar	11,0 kg	81.51401.0182 81.51401.0241 81.51401.6015	MAN
	20/246LOH	Air tank 20l	246 x 497 mm	15,5 bar	7,6 kg	A05070501	Lohr

EN 286/2

Illustration	Item no.	Description	Dimensions	max. operating pressure	Weight	OE reference	Vehicle
	15/206SCA1	Air tank 15l with holder	206 x 520 mm	14,5 bar	6,2 kg	1360401 2773714	Scania
	20/276SCA1	Air tank 20l with holder	276 x 402 mm	14,5 bar	7,6 kg	1448883	Scania
	30/276SCA1	Air tank 30l with holder	276 x 568 mm	14,5 bar	10,5 kg	1357950	Scania
	40/276HSM	Air tank 40l with holder	276 x 760 mm	13,5 bar	13,1 kg	33998	Schwarzmüller
	60/276HSM	Air tank 60l with holder	276 x 1100 mm	12,5 bar	17,7 kg	33999	Schwarzmüller
	60/396HSM	Air tank 60l with holder	396 x 563 mm	12,5 bar	17,0 kg	34000	Schwarzmüller
	80/396HSM	Air tank 80l with holder	396 x 750 mm	12,5 bar	22,5 kg	34001	Schwarzmüller
	80/310HS	Air tank 80l with holder	310 x 1157 mm	12,5 bar	19,9 kg	51202	Schmitz
	80/396HS	Air tank 80l with holder	396 x 750 mm	12,5 bar	22,5 kg	1009330	Schmitz
	80/396HS2	Air tank 80l with holder	396 x 750 mm	10,0 bar	22,5 kg	1153350	Schmitz
	80/396HS3	Air tank 80l with holder	396 x 750 mm	10,0 bar	22,5 kg	1219118	Schmitz


EN 286/2

Item no.	Description	Dimensions	max. operating pressure	Weight	Number of M22x1,5 connections
10/206A	Air tank 10l without holder (1)	206 x 375 mm	12,5 bar	2,3 kg	4
20/206A	Air tank 20l without holder (1)	206 x 694 mm	12,5 bar	4,0 kg	4
20/246A	Air tank 20l without holder (1)	246 x 500 mm	12,5 bar	3,5 kg	4
30/246A	Air tank 30l without holder (1)	246 x 720 mm	12,5 bar	4,9 kg	4
40/246A	Air tank 40l without holder (1)	246 x 942 mm	12,5 bar	6,2 kg	4
40/276A	Air tank 40l without holder (1)	276 x 766 mm	12,5 bar	5,9 kg	4
60/276A	Air tank 60l without holder (1)	276 x 1116 mm	12,5 bar	8,4 kg	4
60/310A	Air tank 60l without holder (1)	310 x 907 mm	11,0 bar	7,8 kg	4
60/396A	Air tank 60l without holder (1)	396 x 590 mm	11,0 bar	8,3 kg	4
80/310A	Air tank 80l without holder (1)	310 x 1183 mm	11,0 bar	10,0 kg	4
80/396A	Air tank 80l without holder (1)	396 x 761 mm	11,0 bar	10,1 kg	4


05/154AH	Air tank 5l with holder (2)	154 x 350 mm	12,5 bar	1,7 kg	3
20/206AH	Air tank 20l with holder (2)	206 x 694 mm	12,5 bar	4,0 kg	4
30/246AH	Air tank 30l with holder (2)	246 x 720 mm	12,5 bar	5,1 kg	4
30/276AH	Air tank 30l with holder (2)	276 x 591 mm	12,5 bar	4,9 kg	4
40/276AH	Air tank 40l with holder (2)	276 x 766mm	12,5 bar	6,1 kg	4
60/276AH	Air tank 60l with holder (2)	276 x 1116 mm	12,5 bar	8,4 kg	4
60/310AH	Air tank 60l with holder (2)	310 x 907 mm	11,0 bar	7,9 kg	4
60/396AH	Air tank 60l with holder (2)	396 x 590 mm	11,0 bar	8,3 kg	4
80/396AH	Air tank 80l with holder (2)	396 x 761 mm	11,0 bar	10,1 kg	4
100/396AH	Air tank 100l with holder (2)	396 x 930 mm	10,0 bar	12,1 kg	4

60/310AHR	Air tank 60l with holder (3)	310 x 879 mm	11,0 bar	8,7 kg	4
80/396AHR	Air tank 80l with holder (3)	396 x 748 mm	11,0 bar	11,0 kg	4


without holder (1)



with holder (2)



with holder (3)




SINGLE PIECE

Item no.	Description
030 2001 09	Tension strap 206 mm
030 2002 09	Tension strap 246 mm
030 2003 09	Tension strap 276 mm
030 2004 09	Tension strap 310 mm
030 2006 09	Tension strap 396 mm


FEATURES

- Combines the advantages of one-piece and two-piece tension bands
- Easy assembly
- High-quality coating



Coupling head

M16 x 1,5




KU0001R | red

KU0002G | yellow

Coupling head

M16 x 1,5 automatic



KU0003RA | red

KU0004GA | yellow

Coupling head with air filter

M16 x 1,5



KU0005R | socket, red

KU0006G | plug, yellow

Thread extension

M16 x 1,5



VS1001 | e.g. for coupling heads

Air coil

4,0 m, Mat. PU, internally tested ATE008




LW0001-R | red

LW0001-G | yellow

Air coil

4,0 m working length, M16 x 1,5 on both ends



LW0004-R | red

LW0004-G | yellow

Air coil kit

with coupling heads mounted completely



235504-WENDEKLKIT | red and yellow

Straight stud



801 1216 2 | M16 x 1,5 / M18 x 1,5

801 1222 2 | M22 x 1,5 / M18 x 1,5

Features of the plastic pipes

- are made from **polyamide 12 (PA12)**, a polyvalent material derived from petroleum.
- fully comply with the standards **DIN 73378** (coloured) and **DIN 74324** (black).
- offer excellent mechanical and chemical resistance from **-40°C to +100°C**.

WOUND AT 100 M; AVAILABLE IN MANY COLOURS

Item no.	Coil	Description	Colour	DIN
KR112 6x1 S100	100 m	6 x 1	black	74324
KR114 6x1 R100			red	73378
KR115 6x1 Y100			yellow	73378
KR116 6x1 G100			green	73378
KR117 6x1 B100			blue	73378
KR122 8x1 S100		8 x 1	black	74324
KR124 8x1 R100			red	73378
KR125 8x1 Y100			yellow	73378
KR126 8x1 G100			green	73378
KR127 8x1 B100			blue	73378
KR132 10x1 S100		10 x 1	black	74324
KR134 10 x1 R100			red	73378
KR173 10x1,25 S100		10 x 1,25	black	74324
KR174 10x1,25 R100			red	73378
KR175 10x1,25 Y100			yellow	73378
KR142 12x1,5 S100		12 x 1,5	black	74324
KR144 12x1,5 R100			red	73378
KR152 15x1,5 S100		15 x 1,5	black	74324
KR182 16x2 S100		16 x 2	black	74324
KR163 18x2 S100		18 x 2	black	74324



WOUND AT 25 M; AVAILABLE IN BLACK

Item no.	Coil	Description	Colour	DIN
KR111 6x1 S25	25 m	6 x 1	black	74324
KR121 8x1 S25		8 x 1		
KR131 10x1 S25		10 x 1		
KR141 12x1,5 S25		12 x 1,5		
KR151 15x1,5 S25		15 x 1,5		
KR161 18x2 S25		18 x 2		

ON CABLE REEL IN BLACK

Item no.	Length	Description	Colour	DIN
KR113 6x1 S1.000	1000 m	6 x 1	black	74324
KR123 8x1 S800	800 m	8 x 1		
KR133 10x1 S500	500 m	10 x 1		
KR143 12x1,5 S350	350 m	12 x 1,5		
KR153 15x1,5 S200	200 m	15 x 1,5		

Features of the cable reel

- disposable wooden drum
- neat twist-free unrolling
- high quality material
- dimensions:

Diameter: 600 mm

Width: 300 mm

Hole: 60 mm



BRAKE HOSES

Brake hose 11 x 18



065 0010 09 | roll of 50 m, DIN74310

Brake hose 13 x 25



065 0001 09. | roll of 40 m, DIN74310

Push-in fittings not detachable



Ø	M12 x 1,5	M16 x 1,5	M22 x 1,5
6 x 1	301 0612 5	301 0616 2	301 0622 2
8 x 1	301 0812 5	301 0816 5	301 0822 5
9 x 1,5		301 0916 2	301 0922 2
10 x 1	301 1012 5	301 1016 5	301 1022 5
10 x 1,25	301 0212 2	301 0216 5	301 0222 2
11 x 1,5		301 1116 2	301 1122 2
12 x 1,5	301 1212 2	301 1216 5	301 1222 5
15 x 1,5		301 1516 5	301 1522 5
16 x 2		301 1616 2	301 1622 2
18 x 2			301 1822 5

Straight screw-in fittings



Ø	M12 x 1,5	M16 x 1,5	M22 x 1,5
6 x 1	401 0612 2	401 0616 2	401 0622 2
8 x 1	401 0812 2	401 0816 2	401 0822 2
10 x 1	401 1012 2	401 1016 2	401 1022 2
12 x 1,5	401 1212 2		401 1222 2
15 x 1,5		401 1517 2	101 1522 2
18 x 2			101 1822 2

Straight push-in fittings



D1	D2	Item no.
6 x 1	6 x 1	303 0606 5
8 x 1	6 x 1	303 0806 2
8 x 1	8 x 1	303 0808 5
9 x 1,5	9 x 1,5	303 0909 5
10 x 1	8 x 1	303 1008 2
10 x 1	10 x 1	303 1010 5
11 x 1,5	11 x 1,5	303 1111 2
12 x 1,5	8 x 1	303 1208 2
12 x 1,5	10 x 1	303 1210 2
12 x 1,5	12 x 1,5	303 1212 5
15 x 1,5	15 x 1,5	303 1515 5
16 x 2	16 x 2	303 1616 2
18 x 2	18 x 2	303 1818 2

Straight fittings



D1	D2	Item no.
6 x 1	6 x 1	403 0606 2
8 x 1	6 x 1	103 0806 2
8 x 1	8 x 1	103 0808 2
10 x 1	6 x 1	103 1006 2
10 x 1	8 x 1	103 1008 2
10 x 1	10 x 1	103 1010 2
12 x 1,5	6 x 1	103 1206 2
12 x 1,5	8 x 1	103 1208 2
12 x 1,5	10 x 1	103 1210 2
12 x 1,5	12 x 1,5	103 1212 2
15 x 1,5	10 x 1	103 1510 2
15 x 1,5	12 x 1,5	103 1512 2
15 x 1,5	15 x 1,5	103 1515 2
18 x 2	15 x 1,5	103 1815 2
18 x 2	18 x 2	103 1818 2

90° elbow fitting



Ø	M12 x 1,5	M16 x 1,5	M22 x 1,5
6 x 1	305 0612 2	305 0616 2	305 0622 2
8 x 1	305 0812 2	305 0816 2	305 0822 2
10 x 1	305 1012 2	305 1016 2	305 1022 2
10 x 1,25	305 0212 2	305 0216 2	305 0222 2
12 x 1,5		305 1216 2	305 1222 2
15 x 1,5		305 1516 2	305 1522 2
18 x 2			305 1822 2

Elbow fittings



Ø	M16 x 1,5	M22 x 1,5
8 x 1	405 0816 2	405 0822 2
10 x 1	405 1016 2	405 1022 2
12 x 1,5	405 1216 2	405 1222 2
15 x 1,5	405 1516 2	405 1522 2
18 x 2		405 1822 2

Elbow bulkhead fitting



Ø	Thread	Item no.
R12 x 1,5	M16 x 1,5 (R10 x 1)	316 1290 2
R12 x 1,5	M18 x 1,5 (R12 x 1,5)	316 1296 2
R15 x 1,5	M22 x 1,5 (R15 x 1,5)	316 1596 2

Hose connector



Thread	Seal	S11	S13
M16 x 1,5	X	950 1116 2	950 1316 2
M16 x 1,5	✓	850 1116 5.	850 1316 5.
M22 x 1,5	X	950 1122 2	950 1322 2
M22 x 1,5	✓	850 1122 5.	850 1322 5.

Pre-assembled hose connector



Ø	Thread	S11	S13
R12 x 1,5		952 1112 2	
R10 x 1	M16 x 1,5	452 1110 2	
R12 x 1,5	M18 x 1,5	452 1112 2	452 1312 2
R15 x 1,5	M22 x 1,5	452 1115 2	452 1315 2

Straight hose fitting




Ø	S 11	S 13
R10 x 1	351 1110 2	
R12 x 1,5	351 1112 2	351 1312 2
R15 x 1,5	351 1115 2	351 1315 2

Reducer (with seal)



G1	G2	Item no.
M12 x 1,5	M16 x 1,5	361 1612 5.
M12 x 1,5	M22 x 1,5	361 2212 5.
M14 x 1,5	M22 x 1,5	361 2214 2
M16 x 1,5	M22 x 1,5	361 2216 5.

Sleeve




Thread	Item no.
M12 x 1,5	460 1225 2
M14 x 1,5	460 1425 2
M16 x 1,5	460 1625 2
M18 x 1,5	460 1825 2
M22 x 1,5 short 25mm	460 2225 2
M22 x 1,5 long 38mm	460 2238 2

Plug screw (without seal)



Thread	Item no.
M10 x 1	462 0010 2
M12 x 1,5	462 0012 2
M14 x 1,5	462 0014 2
M16 x 1,5	462 0016 2
M22 x 1,5	462 0022 2
M22 x 1,5	462 0522 2

Plug screw (with seal)



Thread	Item no.
M12 x 1,5	362 0012 5.
M16 x 1,5	362 0016 5.
M22 x 1,5	362 0022 5.

Screw-in test connection



Thread	Seal	Item no.
M12 x 1,5	X	465 1112 2
M16 x 1,5	✓	365 0916 5.
M16 x 1,5	X	465 0916 5
M22 x 1,5	✓	365 0922 5.
M22 x 1,5	X	465 0922 5

Drain valve



Ring	Seal	M22 x 1,5
✓	✓	366 1122 5
X	✓	366 1222 5.
✓	X	466 1122 5

Hex nut



Thread	Item no.
M12 x 1,5	1D064
M14 x 1,5	677 0014 2
M16 x 1,5	677 0016 2
M18 x 1,5	677 0018 2
M22 x 1,5	977 0022 2
M26 x 1,5	977 0026 2

Plug-in unit



Ø	Thread	Item no.
8 x 1	M14 x 1,5	370 0810 5
8 x 1	M18 x 1,5	370 2810 5
9 x 1,5	M16 x 1,5	370 0915 5
10 x 1	M16 x 1,5	370 1010 5
10 x 1	M18 x 1,5	370 2010 5
10 x 1,25	M16 x 1,5	370 1012 5
10 x 1,5	M16 x 1,5	370 1015 5
11 x 1,5	M18 x 1,5	370 1115 5
12 x 1,5	M18 x 1,5	370 1215 5
15 x 1,5	M22 x 1,5	370 1515 5
15 x 2	M22 x 1,5	370 1520 5
16 x 2	M22 x 1,5	370 1620 5

Union nut



Ø	Thread	Item no.
6 x 1	M12 x 1,5	670 0006 2
8 x 1	M14 x 1,5	670 0008 2
10 x 1	M16 x 1,5	670 0010 2
12 x 1,5	M18 x 1,5	670 0012 2
15 x 1,5	M22 x 1,5	670 0015 2
18 x 2	M26 x 1,5	670 0018 2

Cutting ring



Ø	Thread	Item no.
6 x 1	M12 x 1,5	671 0006 2
8 x 1	M14 x 1,5	671 0008 2
10 x 1	M16 x 1,5	671 0010 2
12 x 1,5	M18 x 1,5	671 0012 2
15 x 1,5	M22 x 1,5	671 0015 2
18 x 2	M26 x 1,5	671 0018 2

O-Ring



for thread	Item no.
M12 x 1,5	979 0012 9
M14 x 1,5	979 0014 9
M16 x 1,5	979 0016 9
M18 x 1,5	979 0018 9
M22 x 1,5	979 0022 9
M26 x 1,5	979 0026 9

Thrust ring



for thread	Item no.
M12 x 1,5	978 0012 5
M14 x 1,5	978 0014 5
M16 x 1,5	978 0016 5
M18 x 1,5	978 0018 5
M22 x 1,5	978 0022 5
M26 x 1,5	978 0026 5

Support sleeve



Ø	Ø for tube	Item no.
4 mm	M14 x 1,5	982 0610 5
6 mm	M18 x 1,5	982 0810 5
7 mm	M16 x 1,5	982 1015 5
8 mm	M16 x 1,5	982 1010 5
9 mm	M18 x 1,5	982 1215 5
12 mm	M16 x 1,5	982 1515 5
14 mm	M22 x 1,5	982 1820 5

Pipe clamp



Ø	Item no.
6 mm	487 0006 2
8 mm	487 0008 2
10 mm	487 0010 2
12 mm	487 0012 2
15 mm	487 0015 2
18 mm	487 0018 2

Hose clamp



Ø	Item no.
18mm (S11)	488 1812 2
25mm (S13)	488 2515 2

Elbow screw-in fitting



G1	G2	Item no.
M12 x 1,5	M16 x 1,5	805 1215 5.
M16 x 1,5	M16 x 1,5	805 1615 5.
M22 x 1,5	M16 x 1,5	805 2215 5.
M22 x 1,5	M22 x 1,5	805 2221 5.

L-screw-in fitting



G1	G2	Item no.
M12 x 1,5	M12 x 1,5	808 1211 5.
M12 x 1,5	M16 x 1,5	808 1611 5.
M16 x 1,5	M16 x 1,5	808 1615 5.
M16 x 1,5	M22 x 1,5	808 2215 5.

T-screw-in fitting



G1	G2	Item no.
M16 x 1,5	M16 x 1,5	810 1615 5.
M16 x 1,5	M22 x 1,5	810 2215 5.

T-piece



Thread	Item no.
M16 x 1,5	308 1615 5.
M22 x 1,5	308 2221 5.

Straight screw-in fittings




G1	G2	G3	Item no.
M16 x 1,5	M16 x 1,5	M22 x 1,5	314 9616 5
M16 x 1,5	M22 x 1,5	M22 x 1,5	314 9622 5

DETACHABLE FITTING SYSTEM CAMOZZI




Straight fittings




D	A	Item no.
M10 x 1,5	6 x 1	VSCI124 9512
M12 x 1,5	6 x 1	VSCI125 9512
M14 x 1,5	6 x 1	VSCI126 9512
M16 x 1,5	6 x 1	VSCI123 9512
M22 x 1,5	6 x 1	VSCI127 9512
M10 x 1	8 x 1	VSCI129 9512
M12 x 1,5	8 x 1	VSCI130 9512
M14 x 1,5	8 x 1	VSCI132 9512
M16 x 1,5	8 x 1	VSCI128 9512
M22 x 1,5	8 x 1	VSCI131 9512
M12 x 1,5	10 x 1	VSCI135 9512
M16 x 1,5	10 x 1	VSCI133 9512
M22 x 1,5	10 x 1	VSCI138 9512
M12 x 1,5	12 x 1,5	VSCI141 9512
M14 x 1,5	12 x 1,5	VSCI143 9512
M16 x 1,5	12 x 1,5	VSCI140 9512
M22 x 1,5	12 x 1,5	VSCI142 9512
M16 x 1,5	15 x 1,5	VSCI145 9512
M22 x 1,5	15 x 1,5	VSCI147 9512
M16 x 1,5	16 x 2	VSCI148 9512
M22 x 1,5	16 x 2	VSCI150 9512
M22 x 1,5	18 x 2	VSCI151 9512

Straight connectors




A	Item no.
6 x 1	VSCI163 9580
8 x 1	VSCI164 9580
10 x 1	VSCI165 9580
12 x 1,5	VSCI168 9580
15 x 1,5	VSCI171 9580
16 x 2	VSCI172 9580
18 x 2	VSCI173 9580

Branch tee fittings




D	A	Item no.
M12 x 1,5	6 x 1	VSCI056 9412
M16 x 1,5	6 x 1	VSCI054 9412
M22 x 1,5	6 x 1	VSCI057 9412
M12 x 1,5	8 x 1	VSCI059 9412
M16 x 1,5	8 x 1	VSCI058 9412
M22 x 1,5	8 x 1	VSCI060 9412
M12 x 1,5	10 x 1	VSCI064 9412
M16 x 1,5	10 x 1	VSCI062 9412
M22 x 1,5	10 x 1	VSCI066 9412
M16 x 1,5	12 x 1,5	VSCI067 9412
M22 x 1,5	12 x 1,5	VSCI069 9412
M16 x 1,5	15 x 1,5	VSCI070 9412
M22 x 1,5	15 x 1,5	VSCI072 9412

Branch tee adaptors




M1	M2	Item no.
M16 x 1,5	M12 x 1,5	810 1215 5.
M16 x 1,5	M16 x 1,5	VSCI014 D2062
M16 x 1,5	M22 x 1,5	810 2215 5.
M22 x 1,5	M22 x 1,5	VSCI017 D2062

Run tee fittings



D	A	Item no.
M10 x 1,5	6 x 1	VSCI075 9422
M12 x 1,5	6 x 1	VSCI076 9422
M16 x 1,5	6 x 1	VSCI074 9422
M12 x 1,5	8 x 1	VSCI078 9422
M16 x 1,5	8 x 1	VSCI077 9422
M22 x 1,5	8 x 1	VSCI079 9422
M16 x 1,5	10 x 1	VSCI080 9422
M22 x 1,5	10 x 1	VSCI081 9422
M16 x 1,5	12 x 1,5	VSCI082 9422
M22 x 1,5	12 x 1,5	VSCI084 9422
M16 x 1,5	15 x 1,5	VSCI085 9422

L screw-in fitting



G1	G2	Item no.
M12 x 1,5	M12 x 1,5	808 1211 5.
M16 x 1,5	M16 x 1,5	808 1615 5. VSCI018 D2072
M16 x 1,5	M22 x 1,5	808 2215 5.
M22 x 1,5	M22 x 1,5	808 2221 5.

Y screw connections



D	A	Item no.
M16 x 1,5	8 x 1	VSCI092 9450
M16 x 1,5	12 x 1,5	VSCI093 9450
M22 x 1,5	12 x 1,5	VSCI094 9450

F screw connections



D	A	Item no.
M16 x 1,5	12 x 1,5	VSCI052 9402
M22 x 1,5	12 x 1,5	VSCI053 9402

Elbow screw-in fitting



D	A	Item no.
M16 x 1,5	16 x 1,5	VSCI022 D2077
M22 x 1,5	16 x 1,5	VSCI023 D2077

Angle screw-in plug-in connectors




D	A	Item no.
M10 x 1,5	6 x 1	VSCI098 9502
M12 x 1,5	6 x 1	VSCI099 9502
M16 x 1,5	6 x 1	VSCI097 9502
M22 x 1,5	6 x 1	VSCI100 9502
M12 x 1,5	8 x 1	VSCI103 9502
M14 x 1,5	8 x 1	VSCI105 9502
M16 x 1,5	8 x 1	VSCI101 9502
M22 x 1,5	8 x 1	VSCI104 9502
M12 x 1,5	10 x 1	VSCI109 9502
M16 x 1,5	10 x 1	VSCI107 9502
M22 x 1,5	10 x 1	VSCI111 9502
M12 x 1,5	12 x 1,5	VSCI114 9502
M16 x 1,5	12 x 1,5	VSCI113 9502
M22 x 1,5	12 x 1,5	VSCI115 9502
M16 x 1,5	15 x 1,5	VSCI117 9502
M22 x 1,5	15 x 1,5	VSCI118 9502
M22 x 1,5	16 x 2	VSCI121 9502
M22 x 1,5	18 x 2	VSCI122 9502

Angle screw-in fitting



G1	G2	Item no.
M16 x 1,5	M16 x 1,5	805 1615 5. VSCI008 D2022
M16 x 1,5	M22 x 1,5	805 2215 5.
M22 x 1,5	M22 x 1,5	805 2221 5.

Cross screw connections



D	A	Item no.
M16 x 1,5	M16 x 1,5	VSCI013 D2032
M22 x 1,5	M16 x 1,5	VSCI012 D2032

Bulkhead connection



D	A	B	Item no.
M16 x 1,5	8	10	VSCI199 9590
M18 x 1,5	12	12	VSCI198 9590

Straight screw-in fitting




G1	G2	G3	Item no.
M16 x 1,5	M16 x 1,5	M22 x 1,5	314 9616 5.
M16 x 1,5	M22 x 1,5	M22 x 1,5	314 9622 5.

DETACHABLE FITTING SYSTEM CAMOZZI




Straight bulkhead connection



D	A	B	Item no.
M18 x 1,5	6 x 1	6 x 1	VSC1202 9592
M18 x 1,5	8 x 1	8 x 1	VSC1178 9592
M18 x 1,5	12 x 1,5	8 x 1	VSC1179 9592
M24 x 1,5	12 x 1,5	12 x 1,5	VSC1203 9592
M28 x 1,5	15 x 1,5	15 x 1,5	VSC1204 9592

T plug-in connectors



D	A	Item no.
6 x 1	6 x 1	VSC1155 9540
8 x 1	8 x 1	VSC1156 9540
10 x 1	10 x 1	VSC1158 9540
12 x 1,5	12 x 1,5	VSC1159 9540
15 x 1,5	15 x 1,5	VSC1162 9540

T-piece




Gewinde	Item no.
M16 x 1,5	308 1615 5.
M22 x 1,5	308 2221 5.

5-way distributor



d	Item no.
M22 x 1,5	VSC1190 D3043

Plug unit C-Truck



B	D	Note	Item no.
C1	M10 x 1		VSC1045 D2912
C1	M12 x 1,5		VSC1046 D2912
C1	M14 x 1,5		VSC1049 D2912
C1	M16 x 1,5	SW22	VSC1043 D2912
C1	M22 x 1,5	SW28	VSC1047 D2912

Straight bulkhead plug-in connector C-Truck




B	D	D1	Item no.
C1	M22 x 1,5	M16 x 1,5	VSC1191 D2993

Bulkhead connection



B	D	A	Item no.
C1	M20 x 1,5	8 x 1	VSC1200 9919
C1	M24 x 1,5	12 x 1,5	VSC1201 9919

Angle piece C-Truck




B	d	A	Item no.
C1	M16 x 1,5		VSC1024 D2220
C1	M22 x 1,5		VSC1025 D2220
C1		6 x 1	VSC1185 9520
C1		8 x 1	VSC1152 9520
C1		10 x 1	VSC1184 9520
C1		12 x 1,5	VSC1153 9520
C1		15 x 1,5	VSC1154 9520
C1		16 x 2	VSC1192 9520
C1	M16 x 1,5		VSC1189 D2210

L-piece C-Truck



B	d	A	Item no.
C1	M16 x 1,5		VSC1028 D2270
C1	M22 x 1,5		VSC1029 D2270
C1		6 x 1	VSC1187 9440
C1		8 x 1	VSC1089 9440
C1		10 x 1	VSC1182 9440
C1		12 x 1,5	VSC1090 9440
C1		15 x 1,5	VSC1091 9440

T-piece C-Truck



B	d	A	Item no.
C1	M16 x 1,5		VSC1026 D2260
C1	M22 x 1,5		VSC1027 D2260
C1		6 x 1	VSC1186 9430
C1		8 x 1	VSC1086 9430
C1		10 x 1	VSC1183 9430
C1		12 x 1,5	VSC1087 9430
C1		15 x 1,5	VSC1088 9430

Anti-rotation rings




Description	Item no.
SW22	VSC1180 9707
SW24	VSC1205 9707
SW28	VSC1181 9707

Removal tool



Bemerkung	Item no.
Removal tool 6	VSC1001 DRK6
Removal tool 8	VSC1002 DRK8
Removal tool 10	VSC1003 DRK10
Removal tool 12	VSC1004 DRK12
Removal tool 15	VSC1005 DRK15
Removal tool 16	VSC1006 DRK16
Removal tool 18	VSC1007 DRK18

Reducer (with seal)



G1	G2	Item no.
M12 x 1,5	M16 x 1,5	361 1612 5.
M12 x 1,5	M22 x 1,5	361 2212 5.
M14 x 1,5	M22 x 1,5	361 2214 2
M16 x 1,5	M22 x 1,5	361 2216 5.

Plug screw



Thread	Version	Item no.
M10 x 1	2	362 0010 2.
M12 x 1,5	1	VSC1193 D2612
M12 x 1,5	2	362 0012 5.
M14 x 1,5	2	462 0014 2
M16 x 1,5	1	VSC1194 D2612
M16 x 1,5	2	362 0016 5.
M16 x 1,5	3	362 8016 2
M22 x 1,5	1	VSC1195 D2612
M22 x 1,5	2	362 0022 5.
M22 x 1,5	3	362 8022 2
M22 x 1,5	4	462 0522 2

Screw-in test connection (with seal)



Ø	Item no.
M16 x 1,5	365 0916 5.
M22 x 1,5	365 0922 5.

Drain valve



Thread	Ring	Seal	Item no.
M22 x 1,5	✓	✓	366 1122 5

Hose fitting with seal



S	G	Item no.
11	M16 x 1,5	850 1116 5.
11	M22 x 1,5	850 1122 5.
13	M16 x 1,5	850 1316 5.
13	M22 x 1,5	850 1322 5.


DETACHABLE FITTING SYSTEM SIRT




Straight screw-in connectors



Version A



Version B




G	D	Vers.	Item no.
M12 x 1,5	6 x 1	A	VSS1003 500
M14 x 1,5	6 x 1	A	VSS1004 500
M16 x 1,5	6 x 1	B	VSS1005 500
M22 x 1,5	6 x 1	B	VSS1006 500
M12 x 1,5	8 x 1	A	VSS1007 500
M14 x 1,5	8 x 1	A	VSS1008 500
M16 x 1,5	8 x 1	B	VSS1009 500
M22 x 1,5	8 x 1	B	VSS1010 500
M12 x 1,5	10 x 1	A	VSS1011 500
M16 x 1,5	10 x 1	A	VSS1012 500
M22 x 1,5	10 x 1	B	VSS1013 500
M12 x 1,5	12 x 1,5	A	VSS1014 500
M16 x 1,5	12 x 1,5	A	VSS1015 500
M22 x 1,5	12 x 1,5	B	VSS1016 500
M16 x 1,5	15 x 1,5	A	VSS1017 500
M22 x 1,5	15 x 1,5	A	VSS1018 500
M22 x 1,5	16 x 2	A	VSS1019 500

Straight screw-in fittings




G1	G2	G3	Item no.
M16 x 1,5	M16 x 1,5	M22 x 1,5	314 9616 5
M16 x 1,5	M22 x 1,5	M22 x 1,5	314 9622 5

Bulkhead fittings




M	F1	F2	Item no.
M22 x 1,5	M16 x 1,5	M16 x 1,5	VSS1066 753

Straight plug-in connectors




D	Item no.
6 x 1	VSS1051 550
8 x 1	VSS1052 550
10 x 1	VSS1053 550
12 x 1,5	VSS1054 550
15 x 1,5	VSS1055 550
16 x 2	VSS1044 550
18 x 2	VSS1056 850

T screw-in plug-in connectors




G	D	Item no.
M12 x 1,5	8 x 1	VSS1037 530
M16 x 1,5	8 x 1	VSS1038 530
M22 x 1,5	8 x 1	VSS1039 530
M16 x 1,5	12 x 1,5	VSS1040 530
M22 x 1,5	12 x 1,5	VSS1041 530

T screw-in fittings




M1	M2	Item no.
M12 x 1,5	M12 x 1,5	VSS1042 730
M16 x 1,5	M12 x 1,5	810 1215 5.
M16 x 1,5	M16 x 1,5	810 1615 5.
M16 x 1,5	M22 x 1,5	810 2215 5.

L screw-in plug-in connectors




G	D	Item no.
M12 x 1,5	8 x 1	VSS1032 520
M16 x 1,5	8 x 1	VSS1033 520
M22 x 1,5	8 x 1	VSS1034 520
M16 x 1,5	12 x 1,5	VSS1035 520
M22 x 1,5	12 x 1,5	VSS1036 520

L screw-in fitting




G2	G1	Item no.
M12 x 1,5	M12 x 1,5	808 1211 5.
M16 x 1,5	M16 x 1,5	808 1615 5.
M22 x 1,5	M16 x 1,5	808 2215 5.
M22 x 1,5	M22 x 1,5	808 2221 5.

Elbow screw-in fitting



D	d	Item no.
M16 x 1,5	M16 x 1,5	VSS1061 742
M22 x 1,5	M16 x 1,5	VSS1062 742

Angle screw-in plug-in connectors



G	D	Item no.
M12 x 1,5	6 x 1	VSS1020 510
M16 x 1,5	6 x 1	VSS1021 510
M22 x 1,5	6 x 1	VSS1022 510
M12 x 1,5	8 x 1	VSS1023 510
M16 x 1,5	8 x 1	VSS1024 510
M22 x 1,5	8 x 1	VSS1025 510
M12 x 1,5	10 x 1	VSS1026 510
M16 x 1,5	10 x 1	VSS1027 510
M22 x 1,5	10 x 1	VSS1028 510
M16 x 1,5	12 x 1,5	VSS1029 510
M22 x 1,5	12 x 1,5	VSS1030 510
M16 x 1,5	15 x 1,5	VSS1031 510
M22 x 1,5	15 x 1,5	VSS1043 510

Angle screw-in fitting



G1	G2	Item no.
M16 x 1,5	M16 x 1,5	805 1615 5.
M22 x 1,5	M16 x 1,5	805 2215 5.
M22 x 1,5	M22 x 1,5	805 2221 5.

Angled bulkhead fitting




F	M	Item no.
M16 x 1,5	M16 x 1,5	VSS1067 763

DETACHABLE FITTING SYSTEM SIRT



Cross screw connections




D	d	Item no.
M16 x 1,5	M16 x 1,5	VSC1013 D2032
M22 x 1,5	M16 x 1,5	VSC1012 D2032

T-fitting




Thread	Item no.
M16 x 1,5	308 1615 5.
M22 x 1,5	308 2221 5.

Angle connectors



F	Item no.
M22 x 1,5	VSS1063 760
M12 x 1,5	VSS1064 760
M16 x 1,5	VSS1065 760

5-way distributor




d	Item no.
M22 x 1,5	VSC1190 D3043

T plug-in connectors




D	Item no.
6 x 1	VSS1057 570
8 x 1	VSS1058 570
12 x 1,5	VSS1059 570
15 x 1,5	VSS1060 570

Plug screw




Thread	Item no.
M10 x 1	362 0010 2.
M12 x 1,5	362 0012 5.
M16 x 1,5	362 0016 5.
M22 x 1,5	362 0022 5.

Sleeve




Thread	Item no.
M12 x 1,5	460 1225 2
M14 x 1,5	460 1425 2
M16 x 1,5	460 1625 2
M18 x 1,5	460 1825 2
M22 x 1,5 short 25mm	460 2225 2
M22 x 1,5 long 38mm	460 2238 2

Removal tool



Description	Item no.
Removal tool 6	VSS1101 DRK6
Removal tool 8	VSS1102 DRK8
Removal tool 10	VSS1103 DRK10
Removal tool 12	VSS1104 DRK12
Removal tool 15	VSS1105 DRK15

Reducer (with gasket)



G2	G1	Item no.
M16 x 1,5	M12 x 1,5	361 1612 5.
M22 x 1,5	M12 x 1,5	361 2212 5.
M22 x 1,5	M14 x 1,5	361 2214 2
M22 x 1,5	M16 x 1,5	361 2216 5.

Pipe clamp



Ø	Item no.
6 mm	487 0006 2
8 mm	487 0008 2
10 mm	487 0010 2
12 mm	487 0012 2
15 mm	487 0015 2
18 mm	487 0018 2

Hose clamp



Ø	Item no.
18mm (S11)	488 1812 2
25mm (S13)	488 2515 2

T test connection



Thread	R	Item no.
M16 x 1,5	12	VSS1001 253
M22 x 1,5	12	VSS1002 253

Screw-in test connection (with seal)



Ø	Item no.
M16 x 1,5	365 0916 5.
M22 x 1,5	365 0922 5.

Drain valve




Thread	Ring	Seal	Item no.
M22 x 1,5	✓	✓	366 1122 5

Hose fitting with seal



S	G	Item no.
11	M16 x 1,5	850 1116 5.
11	M22 x 1,5	850 1122 5.
13	M16 x 1,5	850 1316 5.
13	M22 x 1,5	850 1322 5.

Cylinder



CM0001 | Mag. DW, DIN 125/200

CM0007 | Mag. DW, DIN 100/300

CM0031 | ISO 15552

Solenoid valves, oper. electropneumatically



CM0010 | 5/2-way valve, 24 V, 1/8-inch ports, with solenoid coil


CM0021 | 5/2-way valve, 24 V, 1/8-inch ports, without solenoid coil

Pneumatically operated valve



CM0011 | 5/2-way valve, 1/8-inch ports

Check valve



CM0028 | Check valve 1/2, unlockable, hollow screw HRP44

Clevis




CM0008 | M20 x 1,5

CM0002 | M27 x 2

CM0030 | M36 x 2

Pivot clevis



CM0009 | front/rear 100

CM0003 | front/rear 125

CM0042 | front/rear 125 steel

CM0025 | rear L-41-160

Pivot pin



CM0004 | Length: 140,5 mm

Device socket for solenoid valve



CM0012 | Socket, without electronics

Silencer



CM0019

1/8-inch



CM0027

sintered bronze 2921 1/2

Solenoid coil



CM0020

Pulse solenoid coil G9, 24 V



CM0022

Solenoid coil U77, 24 V

Vent valve

CM0024

M16 x 1,5

Pneumatic spring



CM0026

452N-35 5/2-WV-1/2"

Reducer fitting



CM0029

Reducer fitting 2530 3/4-1/2

Plastic conduit/pipe, bundle of 50 m



CM0018

4x1 PA


CM0034

5x1 PA

CM0030


6x1 PA

Straight connector 6580




A	Item no.
4	CM0037
5	CM0036
6	CM0016
8	CM0032
10	CM0043
12	CM0044
14	CM0045

Elbow fitting 6580




D	A	Item no.
G1/8	4	CM0033
	6	CM0015
G1/2	8	CM0006

Elbow fitting 6550




A	SW	Item no.
4	8	CM0038
5	9	CM0039
6	9	CM0040
8	11	CM0041

T-fitting 6540




A	SW	Item no.
6	9	CM0014

Y-fitting 6560




A	Item no.
4	CM0047
6	CM0048
8	CM0046

Straight fitting S6510




D	A	Item no.
G1/2	8	CM0013

Screw-on fitting 6463




D	A	Item no.
G1/4	8	CM0023


Straight connector G7580



A	B	Item no.
4	8	CM0017









Ing A.F. Baeder Ges.m.b.H.

📍 Kolpingstraße 13, 1230 Wien

☎ +43 (0)1 865 16 40

✉ sales@baeder-automotive.com

🌐 www.baeder-automotive.com

